


Drawing No.
17-11-1420



NOTE:

1. NOT TO SCALE.
2. CONVOLUTED TUBING TO WITHIN 2' OF ALL CONNECTORS UNLESS NOTED OTHERWISE.
3. ALL SPLICES TO BE INDIVIDUALLY SOLDERED AND INSULATED.
4. ALL SPLICES TO BE 2" FROM NEAREST BREAKOUT AND/OR ADJACENT SPLICE.
5. DIMENSIONS SHOWN SHALL BE CONSIDERED AS BETWEEN CENTERS OF JUNCTIONS OR BRANCHES. DIMENSIONS SHOWN BETWEEN JUNCTIONS AND CONNECTORS OR TERMINALS ARE TO END OF WIRE.
6. ALL WIRE SXL, GXL, OR EQUIV.
7. ALL CONVOLUTED TUBING 125°C/300°F MIN.
8. ALL WIRING TO BE LEGENDED PER 17-11-0052 EVERY 4'-6" THE FULL LENGTH OF THE WIRE.

Damon Corporation claims a copyright and proprietary rights to this document and the information contained herein. It is proprietary information and confidential. This drawing may not be reproduced or given to any unauthorized agent, nor can anything be manufactured with its information without written consent from Damon Corporation.

LET	REVISION	DATE	BY	ECN #
A	No Changes This Page.	10/19/07	JWS	
B	No Changes This Page.	12/15/08	JWS	09-0304

DESCRIPTION:
Harness, Firewall Universal
2008
Layout Detail
MODELS:TU
☐ R13 ☐ R13-3D ☒ R2005
CLASS: ☐ TOW ☐ C ☐ A ☒ BUS

DAMON CORPORATION	
Dr. By JWS	DATE: 07/16/07
Ch. By	SHEET 1 of 5
File No.	17-11-1419
Ap. By	Drawing No.
	17-11-1420

Damon
CORPORATION

TOLERANCE
DEC:±0.01
FRAC:±1/16"
DEGREE:±1°
DO NOT SCALE

LET	REVISION	DATE	BY	ECN #
A	Added Mirror Connector.	10/19/07	JWS	
B	No Changes This Page.	12/15/08	JWS	09-0304


Damon
CORPORATION

MODELS: TU

☐ R13 ☐ R13-JD ☒ R2005

CLASS: ☐ TOW ☐ C ☐ A ☒ BUS

DAMON CORPORATION	
Dr. By <i>JWS</i>	DATE: 07/18/07
Ch. By	SHEET 3 of 5
	File No.
	17-11-1419
Ap. By	Drawing No.
	17-11-1420



Damon Corporation claims a copyright and proprietary rights to this document and the information contained herein. It is proprietary information and confidential. This drawing may not be reproduced or given to any unauthorized agent, nor can anything be manufactured with its information without written consent from Damon Corporation.



LET	REVISION	DATE	BY	ECN #
A	No Changes This Page.	10/19/07	JWS	
B	Revised Battery Disconnect Connections.	12/15/08	JWS	09-0304

DESCRIPTION:
Harness, Firewall Universal
Passenger side
DIMS & BREAKOUTS
MODELS: TU
☐ R13 ☐ R13-3D ☒ R2005
CLASS: ☐ TOW ☐ C ☐ A ☒ BUS

DAMON CORPORATION	
Dr. By JWS	DATE: 07/16/07
Ch. By	SHEET 4 of 5
File No.	17-11-1419
Ap. By	Drawing No.
	17-11-1420

Damon
CORPORATION

TOLERANCE
DEC: ±0.01
FRAC: ±1/16"
DEGREE: ±1°
DO NOT SCALE



Damon Corporation claims a copyright and proprietary rights to this document and the information contained herein. It is proprietary information and confidential. This drawing may not be reproduced or given to any unauthorized agent, nor can anything be manufactured with its information without written consent from Damon Corporation.

LET	REVISION	DATE	BY	ECN #
A	No Changes This Page.	10/19/07	JWS	
B	No Changes This Page.	12/15/08	JWS	09-0304

DESCRIPTION:	Harness, Firewall Universal
Connector Detail	
MODELS: TU	
CLASS:	☐ R13 ☐ R13-3D ☒ R2005
	☐ TOW ☐ C ☐ A ☒ BUS

DAMON CORPORATION	
Dr. By JWS	DATE: 07/16/07
Ch. By	SHEET 5 of 5
Ap. By	File No. 17-11-1419
	Drawing No. 17-11-1420

Damon
CORPORATION

TOLERANCE
DEC: ±0.01
FRAC: ±1/16"
DEGREE: ±1°
DO NOT SCALE